

Albato

La integración solo es compatible con la versión **cloud** de iSpring LMS y no funciona con la versión **on-premise**.


On-premise el software se instala y se ejecuta en la infraestructura de hardware propia de una empresa, y se aloja localmente, mientras que el software **cloud** se almacena y administra en los servidores del proveedor, y se accede a él a través de un navegador web u otra interfaz.

Con Albato, los administradores de cuentas de iSpring LMS podrán integrar iSpring LMS al instante con cientos de aplicaciones. Estas integraciones permiten compartir datos automáticamente entre iSpring LMS y estas aplicaciones. Esto añadirá automáticamente usuarios, departamentos y grupos a iSpring LMS, así como bloqueará usuarios o reemplazará grupos cuando sea necesario.


Cómo configurar la integración de iSpring LMS en Albato

Los administradores de cuentas no necesitan activar la integración en iSpring LMS. Pueden conectar aplicaciones en el [sitio web de Albato](#).

1. Haga clic en **Add a connection (Añadir una conexión)** en la pestaña **Apps (Aplicaciones)**.



2. A continuación, seleccione **iSpring LMS** de la lista y haga clic en **Add a connection (Añadir una conexión)**.



3. En la nueva ventana, introduzca:

- Nombre de la conexión, por ejemplo, **Mi cuenta de iSpring LMS**.
- URL de la cuenta, por ejemplo, <https://acc-2111.ispringlearn.com>.
- Correo electrónico y contraseña de su cuenta de iSpring.
- Zona de dominio, como **.com**.

Creating a connection to iSpring Learn

Tutorial

Title *

My Account iSpring Learn

Choose any name for your connection

Account URL

https://acc-2111.ispringlearn.com

Example: https://acc-2111.ispringlearn.com

Login

nick.moore@ispring.com

Enter the Email from the iSpring Learn personal account

Password

.....

Enter the password from the iSpring Learn personal account

Domain zone *

.com

Specify the domain to work with the API. For example, if the account is registered in the English version of the site, then specify the domain - com


Continue

¡Hecho! Ha configurado la integración de iSpring LMS en Albato.

Cómo transferir los datos a iSpring LMS

Veamos cómo transferir datos de la tabla de Google Sheets a iSpring LMS.

1. En la pestaña **Automations (Automatizaciones)**, haga clic en **New (Nuevo)**.



2. A continuación, haga clic en **Select an app which sends the data (Seleccione una aplicación que envía los datos)** e introduzca la aplicación, por ejemplo, **Google Sheets**, y el evento, por ejemplo, **New row created (Se ha creado una nueva fila)**.

< Automations

Automation builder

Automation #249176 

Group: Without a group 



Select an app which sends the data







Select an app which receives the data



3. En **Additional parameters** (Parámetros adicionales), seleccione las opciones de **Spreadsheet** y **Spreadsheet sheets** y, a continuación, haga clic en **Add a trigger** (Añadir un activador).

Set up a trigger

Choose an app which sends the data, and specify the event which starts the automation.

App

 Google Sheets 

Data will be transferred from this app. For example: Facebook, HubSpot, Pipedrive, etc.

Event

New row created 

This is an event which triggers the data transfer. For example: when a deal changes, a new lead comes, etc.

Google Sheets account

 My Account Google Sheets 

Connect your Google Sheets account to transfer the data.

Additional parameters

Spreadsheet* 

Spreadsheet sheets* 

Test Albato 

Sheet1 

Add a trigger 

4. Para que los datos se transmitan inmediatamente, seleccione el modo de funcionamiento de la automatización **Real-time (Tiempo real)**.

Automation operation mode

Specify the data period to send

☒ Real-time (Collecting data for a current period) ⓘ

☐ Data migration (Collecting data for a specified period in the past) ⓘ

Save

La opción Data migration (Migración de datos) le permite recopilar datos correspondientes a un período específico. Más detalles sobre el funcionamiento del modo de migración de datos se ofrecen en [el artículo sobre el modo de migración de datos](#).

5. A continuación, haga clic en **Select an app which receives the data (Seleccione una aplicación que recibe los datos)**. Elija una aplicación que reciba los datos, es decir, **iSpring LMS**, y especifique la acción que desea que se produzca automáticamente, es decir, **Add a user to iSpring LMS (Añadir un usuario a iSpring LMS)**.
6. A continuación, elija una conexión existente entre iSpring LMS y Albato o cree una nueva haciendo clic en **Add a connection (Añadir una conexión)**.

Add an action

Choose an app which receives the data, and specify the action you want to happen automatically.

App

iSpring Learn

This app will receive your data. For example: Facebook, Google Sheets, Trello, Slack, etc.

Action

Add a user to iSpring Learn

This action will be performed automatically when the trigger occurs. For example, create/update a row, create a card, send a message.

iSpring Learn account

My Account iSpring Learn

My Account iSpring Learn

+ Add a connection

7. A continuación, haga clic en **Add an action (Añadir una acción)**.

8. En la nueva ventana, rellene los campos y especifique qué datos de contacto se transferirán.

The image shows two side-by-side screenshots of the iSpring Learn user creation interface. The left window is titled 'iSpring Learn' and 'iSpring Learn: Add a user to iSpring Learn'. It contains several configuration options: 'The ID of the department the user will be added to' (with a dropdown for 'Department 1'), 'The password of the new user' (with a dropdown for 'Google Sheets: Column password'), 'User role' (with a dropdown for 'Administrator (administrator)'), 'IDs of the departments the user will manage' (with a dropdown for 'Department 1'), 'Required if the user role is the Department Administrator' (with a dropdown for 'Group 1'), 'An email is sent to the added user?' (with a dropdown for 'Yes'), 'The text of the email invitation message that is sent to the added user' (with a text input field containing 'Welcome!'), 'An SMS is sent to the added user?' (with a dropdown for 'No'), and 'The text of the SMS that is sent to the added user' (with a text input field). The right window is a form for mapping Google Sheets columns to user fields. It includes fields for 'Name', 'Education', 'Login', 'Last Name', 'Email', 'Phone', 'Job Title', 'About Me', and 'Country'. Each field has a dropdown menu for selecting a Google Sheets column. At the bottom right of the right window, there are 'Cancel' and 'Save' buttons.

9. Por último, haga clic en **Save (Guardar)**. ¡Y ya está! Ha conectado las aplicaciones. A continuación, puede iniciar la automatización haciendo clic en **Start (Iniciar)**.

The image shows a screenshot of the Albato Automation builder interface. The top navigation bar includes 'Solutions', 'Automations', 'Apps', 'History', 'Help', 'Billing', and 'albato@ispring.com'. The main content area is titled 'Automation builder' and shows 'Automation #249051'. It includes a dropdown for 'Group: Without a group' and a section for 'Automation operation mode' with radio buttons for 'Real-time' (selected) and 'Data migration'. The workflow consists of two steps: 'Step 1 - Google Sheets: New row created' and 'Step 2 - iSpring Learn: Add a user to iSpring Learn'. Each step has a dropdown for selecting an account. At the bottom, there are buttons for 'Automation builder', 'Start Schedule', 'Automation log', 'Test', and 'Start'.

Puede saber más sobre cómo trabajar con Albato en sus [publicaciones del blog](#).

¡Increíble! Ahora puede transferir datos a iSpring LMS desde Google Sheets.